



ACDelco
ACDelco Dedicated Distribution Group Member

ORIGINAL EQUIPMENT
Auto & Truck Parts Distributor

Battery Specialist
Master Distributor of
Batteries and Battery Related Products

Full Rebuild Shop
ALTERNATORS & STARTERS
Agricultural • Domestic
Import • Industrial • Marine

1348 SOUTH MAIN STREET • BELLE GLADE, FLORIDA 33430 • PHONE (561) 996-5501 FAX (561) 992-8366

Exide Batteries

Model	BCI	CCA	CA	RC	L	W	H	Lbs
-------	-----	-----	----	----	---	---	---	-----

Prevailer Wheelchair

PV-22NF	22NF	0	0	87	9.5	5.5	9.06	38.5
PV-24DC	24	0	0	140	10	6.75	9.44	54
PV-U1	U1	0	0	47	7.75	5.19	7.31	23

Marine Starting

ST24MS000	24	800	1000	115	10.69	6.63	9.44	47
ST24MS525	24	450	525	65	10.69	6.63	9.44	34
ST24MS650	24	525	650	80	10.69	6.63	9.44	39

Marine & RV Dual Purpose

ST24DP625	24	500	625	120	10.19	6.81	9.44	43
ST27DP700	27	575	730	160	12.75	6.81	9.5	51

Marine & RV Deep Cycle

ST24DC140	24	400	500	140	10.25	6.63	9.44	40
ST27DC180	27	500	625	180	12.81	6.81	9.5	51

ST31DC205	31	725	900	205	13	6.81	9.88	64
ST4DDC250	4D	600	850	250	20.75	8.75	10.88	114
ST8DDC400	8D	800	1200	400	20.75	11	10.88	135
STU1DC40	U1	200	250	40	8.44	5.25	7.25	19

Lawn & Garden

GT	U1	165	200	17	7.5	5.19	7.31	16
GT-H	U1	235	280	25	7.5	5.19	7.31	17
GT-R	U1R	235	280	25	7.5	5.19	7.31	17
GT-X	U1	300	360	34	7.5	5.19	7.31	19
GTX-R	U1R	300	360	34	7.5	5.19	7.31	19

6 Volt Heavy Duty Commercial

COM-1H-P	1	625	750	160	8.81	6.75	8.63	31
COM-2-P	2	625	750	150	10.25	6.88	9.31	27
COM-3	3	690	750	230	11.5	7	9.19	33
COM-4EC-P	4	975	1170	300	13	6.75	9.25	47
COM-5D	5D	850	1020	280	13.5	7.25	9.38	30
COM-7D	7D	975	1170	330	15.88	7.25	9.38	35
F-2E	2E	615	675	185	19.31	4.31	10.25	28
F-3EH	3EH	850	1020	280	19.25	4.25	9.88	30
F-4EH	4EH	930	1110	300	19.25	5	10	43
T-4H-P	4	800	960	250	13	6.75	9.25	40

6 & 8 Volt Golf Cart

E3600 6V	GC5	0	390	10.31	7.13	11.44	60
E4800 8V	GC6	0	290	10.31	7.13	11.44	60
GC2-H 6V	GC2	0	525	10.31	7.13	11.63	60
GC2-Z 6V	GC4	0	390	10.31	7.13	11.44	60
GC-5 6V	GC3	0	480	10.31	7.13	11.44	60

12 Volt Heavy Duty Commercial

COM-30H	30H	700	850	180	13	6.94	9.63	54
COM-4D-P	4D	1000	120	320	19.56	8.31	9.88	95
COM-8D	8D	1300	1560	435	20.75	11	10	131
COM-8D-P	8D	1155	1380	400	20.88	11	10	117
F-16TF	16TF	545	665	210	16.5	7.13	11.06	61
F-17TF	17TF	530	665	140	17	6.88	7.88	40
F-3EE	3EE	370	440	100	19.25	4.25	8.56	28
F-3ET	3ET	460	550	120	19.25	4.25	9.56	31
F-4DLT	4DLT	810	970	250	20	8.13	8.13	80

12 Volt Commercial

COM-31D	31	625	750	160	13	6.81	9.31	50
COM-31E	31	625	750	160	13	6.81	9.31	50
HC-31D	31	700	840	180	13	6.81	9.31	54

HC-31E	31	700	840	180	13	6.81	9.31	54
HP-31D	31	925	1050	160	13	6.81	9.31	59
HP-31E	31	925	1050	160	13	6.81	9.31	59

12 Volt Automotive

19L-40	19L	440	560	120	8.25	6.75	7.5	21
22NF-40	22NF	390	450	70	9.5	5.5	9.06	32
2434-72P	24	770	950	120	10.63	6.75	9.13	47
24-50	24	450	525	80	10.63	6.75	9.13	33
24-60	24	525	630	90	10.63	6.75	8.94	38
24-72	24	675	835	120	10.63	6.75	8.88	41
24F34R-72P	24F	770	950	120	10.63	6.75	9.13	47
24F-50	24F	450	525	80	10.63	6.75	9.13	33
24F-60	24F	525	630	90	10.63	6.75	9.13	38
24F-72	24F	675	835	120	10.63	6.75	8.88	41
25-60	25	525	630	85	9	6.88	8.94	33
25-72	25	570	730	100	9	6.88	8.94	33
26-50	26	450	525	75	8.69	6.81	7.69	28
26-60	26	525	630	80	8.69	6.81	7.69	30
26R-50	26R	450	525	75	8.69	6.81	7.69	28
26R-60	26R	525	30	80	8.69	6.81	7.69	30
27-60	27	700	850	120	12.5	6.81	9	48

27F-60	27F	700	850	120	12.5	6.81	9	48
29NF-40	29NF	390	450	90	13	5.5	9	31
34-60	34	630	750	100	10.19	6.81	8	36
34-72	34	770	950	120	10.19	6.81	8	38
34R-72	34R	770	950	120	10.19	6.81	8	38
35-60	35	525	630	85	9	6.88	8.94	30
35-72	35	570	730	100	9	6.88	8.94	33
36R-72	36R	650	800	110	10.25	7.19	7.94	44
41-60	41	675	835	105	11.19	6.88	6.88	30
42-60	42	500	600	70	9.63	6.88	6.88	31
45-60	45	495	595	80	9.44	5.5	8.88	32
47-60	47	60	750	85	9.63	6.75	7.44	24
48-60	48	690	850	110	11	6.75	7.44	24
49-60	49	850	1000	120	14	6.88	7.44	32
51-60	51	450	530	70	9.31	4.94	8.69	28
51R-60	51R	450	530	70	9.31	4.94	8.69	28
56-50	56	450	535	75	10.44	6.31	8.38	32
56-60	56	535	640	80	10.44	6.31	8.38	32
58-50	58	460	540	70	9.81	7.19	7	28
58-60	58	540	675	80	9.81	7.19	7	32
58R-60	58R	580	700	80	9.81	7.19	7	32

64-60	64	575	725	110	11.69	6.31	8.88	42
65-60	65	650	780	130	11.56	7.44	7.56	42
65-72	65	850	1000	160	11.56	7.44	7.56	46
70-60	70	525	630	80	8.69	7.06	7.19	31
75-50	75	525	630	85	9.44	7.06	7.19	30
75-60	75	630	800	90	9.44	7.06	7.19	31
75-72	75	730	925	100	9.44	7.06	7.19	35
75DT-50	25/75 DT	450	550	70	9	6.94	8.13	28
75DT-60	25/75 DT	525	630	85	8.81	7.06	8.13	31
75DT-72	25/75 DT	630	800	90	8.81	7.06	8.13	33
78-60	78	630	800	100	10.19	7.06	7.19	36
78-72	78	770	950	120	10.19	7.06	7.19	40
78DT-60	34/78 DT	650	800	100	10.69	7.06	8.13	36
78DT-72	34/78 DT	850	1000	120	10.69	7.06	8.13	40
86-60	86	525	630	80	9	6.81	8	36
91-60	91	690	850	100	11	6.88	6.88	46
93-60	93	800	950	150	13.88	6.88	6.88	45